

GOVERNMENT OF TELANGANA
ABSTRACT

Irrigation & CAD Department – TS-iPASS (Act 3 of 2014) – Filling of common application with the Nodal Agency of the State level TS –iPASS Committee - Industrial Water supply to UREA plant of M/s Ramagundam Fertilizers and Chemicals Limited (RFCL) Ramagundam, Karimnagar District – Permission for drawl of 0.55 TMC water per annum from upstream of Sripada Yellampally Project Barrage on Godavari River – Accorded – Orders – Issued.

IRRIGATION AND CAD (REFORMS) DEPARTMENT

G.O.Ms.No. 8

Dated:- 01-02-2016.
Read the following:

1. G.O.Ms.No.39, I&CAD(PW:COD)Department, Dt: 02-04-2002.
2. G.O.Ms.No.115, I& CAD (Reforms) Department, Dt: 27-06-2015.
3. From the Engineer-in-Chief (Irrigation), Hyderabad Lr.No.ENC(I)/DCE-I/OT2/AEE3/RFCL, Ramagundam/2015, dt: 09/19-11-2015.
4. From the Engineer-in-Chief (Irrigation), Hyderabad Lr.No.ENC(I)/DCE-I/OT2/AEE3/RFCL, Ramagundam/2015, dt: 23-12-2015.

-o0o-

O R D E R:-

In the references read above, the Engineer-in-Chief (Irrigation), Hyderabad has forwarded the Common application filed by M/s Ramagundam Fertilizers and Chemicals Limited (RFCL) Ramagundam, Karimnagar District with the Nodal Agency of the State Level TS- i PASS Committee and also reported on the availability of 42000 KL for consumptive and 500 KL for non consumptive (equivalent to 42500 KL per day) for 365 days which works out to 0.55 TMC per annum from upstream of Sripada Yellampally Project on Godavari river for the UREA plant of M/s Ramagundam Fertilizers and Chemicals Limited (RFCL) Ramagundam, Karimnagar District and the net availability of water at Sripada Yellampally Project Barrage site at 75% dependability is 60.36 TMC and the water allocations made by the Government is 58.220 TMC and the proposals pending with the Government is 2.333 TMC for and different schemes which is equal to 60.553 TMC including evaporation losses. The Engineer-in-Chief (Irrigation) has requested and recommended the Government for allocation of 0.55 TMC per annum by adjusting from the proposals pending for 2.333 TMC from upstream of Sripada Yellampally Project Barrage on Godavari River for the UREA plant of M/s Ramagundam Fertilizers & Chemicals Limited (RFCL) Ramagundam, Karimnagar District.

2. Under the circumstances reported and recommended by the Engineer-in-Chief (Irrigation), Hyderabad in the references read above, Government after careful examination of the matter, hereby accord permission for drawl of 0.55 TMC water per annum from upstream of Sripada Yellampally Project Barrage on Godavari River for the UREA plant of M/s Ramagundam Fertilizers & Chemicals Limited (RFCL) Ramagundam, Karimnagar District, subject to obtaining permission from the District Collector, Karimnagar and Pollution Control Board before drawl of water and also subject to payment of water rate for consumptive use as per G.O.Ms.No.39, I & CAD (PW:COD) Department, Dt: 02-04-2002 and at the rate as fixed by Government from time to time and subject to obtaining other Department permissions as per Law/Rules.

(Contnd---P-2)

3. The Engineer-in-Chief (Irrigation), Hyderabad shall take necessary action accordingly, after approval of the TS- i-PASS accordingly and submit the action taken report to Government.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

Dr. SHAILENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (Irrigation), Jalasoudha Buildings, Errummanzil, Hyderabad.
The Collector & District Magistrate, Karimnagar.

Copy to:

The Commissioner of Industries, Chirag Ali Lane, Telangana State, Hyderabad.
The Pollution Control Board, Telangana State, Hyderabad.
The P.S. to Hon'ble Minister (Irrigation).
The P.S. to Principal Secretary to Government, I & CAD Department.
The P.S. to Secretary to Government, Energy Department.
The P.S. to Secretary to Government, Industries Department.
The I&CAD (W.R.G) Department.
SF/SC (C.No.11547/Reforms/2015).

//FORWARDED::BY ORDER//

SECTION OFFICER